



PS

wherein n is an integer from 2 to 4, inclusive; R_1 and R_2 are each individually selected from the group consisting of hydrogen, alkyl having from 1 to 4 carbon atoms [.] and monohydroxyalkyl having from 2 to 4 carbon atoms and wherein the carbon atom alpha to the nitrogen atom may not bear an hydroxy group [., dihydroxyalkyl having from 3 to 6 carbon atoms and wherein the carbon atom alpha to the nitrogen atom may not bear an hydroxy group, formyl, alkanoyl having from 2 to 4 carbon atoms, trifluoroacetyl and moieties of the formulae:



wherein n is an integer from 2 to 4, inclusive, R is alkyl having from 1 to 4 carbon atoms, and R_3 and R_4 are each individually selected from the group consisting of hydrogen, alkyl having from 1 to 4 carbon atoms and monohydroxyalkyl having from 2 to 4 carbon atoms and wherein the carbon atom alpha to the nitrogen atom may not bear an hydroxy group, and R_3 and R_4 taken together with their associated N(itrogen) is morpholino, thiomorpholino, piperazino, 4-methyl-1-piperazino or a moiety of the formula:




wherein m is an integer from 2 to 6, inclusive; with the first proviso that the ratio of the total number of carbon atoms to the sum of the total number of oxygen atoms plus the total number of nitrogen atoms in the side chains at the 1-position and the 4-position may not exceed 4 and] with the [second] proviso that R_1 and R_2 may not both be hydrogen or alkyl; and the pharmacologically acceptable acid-addition salts thereof.

2. (Amended) A compound selected from the group consisting of those of the formula:

661

-87


10620x



B


wherein Q is a divalent moiety selected from the group consisting of those of the formulae:

10620x



B
10620x

wherein n is an integer from 2 to 4, inclusive; R₁ and R₂ are each individually selected from the group consisting of hydrogen, alkyl having from 1 to 4 carbon atoms [] and monohydroxyalkyl having from 2 to 4 carbon atoms and wherein the carbon atom alpha to the nitrogen atom may not bear an hydroxy group [], dihydroxyalkyl having from 3 to 6 carbon atoms and wherein the carbon atom alpha to the nitrogen atom may not bear an hydroxy group, formyl, alkanoyl having from 2 to 4 carbon atoms, trifluoroacetyl and moieties of the formulae:



wherein n is an integer from 2 to 4, inclusive, R is alkyl having from 1 to 4 carbon atoms, and R₃ and R₄ are each individually selected from the group consisting of hydrogen, alkyl having from 1 to 4 carbon atoms and monohydroxyalkyl having from 2 to 4 carbon atoms and wherein the carbon atom

62

-13-
88